

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S2	13834	(phosphodiesterase or phosphodiesterase-4 or phosphodiesterase-IV or PDE-4 or PDE-IV or PDE4 or PDEIV or (phosphodiesterase\$ near3 inhibit\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:03
S3	7456	(phosphodiesterase or phosphodiesterase-4 or phosphodiesterase-IV or PDE-4 or PDE-IV or PDE4 or PDEIV or (phosphodiesterase\$ near3 inhibit\$)) AND (stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:04
S4	4999	(phosphodiesterase or phosphodiesterase-4 or phosphodiesterase-IV or PDE-4 or PDE-IV or PDE4 or PDEIV or (phosphodiesterase\$ near3 inhibit\$)) AND (stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") AND (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocinetic or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastitis)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:04

S5	815	(phosphodiesterase or phosphodiesterase-4 or phosphodiesterase-IV or PDE-4 or PDE-IV or PDE4 or PDEIV or (phosphodiesterase\$ near3 inhibi\$)) AND (stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") AND (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) AND (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or opioid or "opioid analgesic" or "opioid receptor" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:05
----	-----	---	---	----	----	------------------

56	40	<p>(phosphodiesterase or phosphodiesterase-4 or phosphodiesterase-IV or PDE-4 or PDE-IV or PDE4 or PDEIV or (phosphodiesterase\$ near3 inhibit\$)) AND (stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") AND (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) AND (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone) AND (@pd <="19981230")</p>			US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:32
----	----	--	--	--	---	----	----	------------------

S7	8058	(stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") AND (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) AND (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or opioid or "opioid analgesic" or "opioid receptor" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:33
----	------	--	---	----	----	------------------

S8	1510	(stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") AND (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocinetic or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) AND (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or opioid or "opioid analgesic" or "opioid receptor" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone) AND (@pd <="19981230")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:34
----	------	--	---	----	----	------------------

S9	248	(stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") SAME (motility or hypomotility or hypokinesis or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) SAME (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or opioid or "opioid analgesic" or "opioid receptor" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone) AND (@pd <="19981230")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:34
----	-----	---	---	----	----	------------------

S10	123	(stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") WITH (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) WITH (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or opioid or "opioid analgesic" or "opioid receptor" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone) AND (@pd <="19981230")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:35
-----	-----	---	---	----	----	------------------

S11	109		US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:38
		<p>((stomach or gastric or gastrointestinal or intestine or intestinal or "digestive tract" or "digestive system" or "alimentary canal" or diabetes or "diabetes mellitus") WITH (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or abnormal or delayed or emptying or atrophy or paralysis or stasis or peristalsis or kinetic or prokinetic or pro-kinetic or antikinetic or anti-kinetic or gastroparesis or "gastric emptying" or constipation or bloating or gastritis or gastroenteritis or gastroenterology or enterogastritis) WITH (narcotic or "narcotic analgesic" or "narcotic agonist" or "narcotic antagonist" or opioid or "opioid analgesic" or "opioid receptor" or "opioid agonist" or "opioid antagonist" or "opioid receptor agonist" or "opioid receptor antagonist" or "agonist-antagonist" or DAMGO or enkephalin or DPDPE or fentanyl or morphine or morphine-like or nalorphine or nalorphine-like or meperidine or methadone)) AND (motility or hypomotility or hypokinesia or hypokinesia or hypokinetic or hypocinesia or hypocinesia or hypocineti or gastroparesis or "gastric emptying" or constipation or gastroenterology) AND (@pd <= "19981230")</p>				